

Recomendaciones

A pesar de que los resultados de este estudio indican que no existe un efecto de los PEMFs sobre el cartílago de crecimiento de cobayos en desarrollo, se recomienda la realización de estudios adicionales para asegurar que no existen efectos negativos al utilizar este tipo de terapia física en animales en crecimiento.

Sería conveniente realizar una recopilación de los estudios con otros resultados para generar una base de datos de metodologías, protocolos de magnetoterapia y estados fisiológicos; y con ello podrían plantearse nuevos estudios que comprueben su validez.

Como recomendación para estudios futuros, sería de gran ayuda anestesiar a los animales para tener más facilidad en el manejo y poderlos colocar en la posición precisa al momento de realizar las placas radiográficas. En un estudio similar se utilizaron conejos, los cuales fueron anestesiados con una inyección intramuscular de ketamina (25 mg/kg) y xilacina (5 mg/ kg) antes de la toma de placas (Karimian, et al., 2013).

Referencias Bibliográficas

- Aaron, R. K., & Ciombor, D. M. (1993). Therapeutic effects of electromagnetic fields in the stimulation of connective tissue repair . *Journal of Cellular Biochemistry* , 52, 42-46.
- Aaron, R. K., Ciombor, D. M., & Jolly, G. (1989). Stimulation of experimental endochondral ossification by low-energy pulsing electromagnetic fields. *Journal of Bone and Mineral Research* , 4 (2), 227-233.
- Abad, V., Meyers, J. L., Weise, M., Gafni, R. I., Barnes, K. M., Nilsson, O., et al. (2002). The role of the resting zone in growth plate chondrogenesis. *Endocrinology* , 143 (5), 1851-1857.
- Adey, W. R. (1993). Biological effects of electromagnetic fields . *Journal of Cellular Biochemistry* , 51, 410-416.
- Anderson, H. C., Hodges, P. T., Aguilera, X. M., Missana, L., & Moylan, P. E. (2000). Bone morphogenetic protein (BPM) localization in developing human and rat growth plate, metaphysis, epiphysis, and articular cartilage. *The Journal of Histochemistry & Cytochemistry* , 48 (11), 1493-1502.
- Assiotis, A., Sachinis, N. P., & Chalidis, B. E. (2012). Pulsed electromagnetic fields for the treatment of tibial delayed unions and nonunions. A prospective clinical study and review of the literature. *Journal of Orthopaedic Surgery and Research* , 7 (24), 1-6.
- Ballock, T., & O'Keefe, R. J. (2003). The biology of the growth plate . *The Journal of Bone & Joint Surgery* , 85 (4), 715-726.
- Bassett, A. (1993). Beneficial Effects of Electromagnetic Fields. *Journal of Cellular Biochemistry* , 51, 387-393.
- Bassett, C. (1989). Fundamental and practical aspects of therapeutic uses of pulsed electromagnetic fields (PEMFs). *Crit. Rev Biomed Eng.* , 17 (5), 451-529.
- Bassett, C., Pawluk, R., & Pilla, A. (1974). Augmentation of bone repair by inductively coupled electromagnetic fields. *Science* , 184, 575-577.

- Batista, C. M., Soriano, B. I., & Bergés, L. E. (2011). Posibilidades, mecanismos de acción y retos de la terapeútica con campo electromagnético de extremada baja frecuencia contra la psoriasis. *MEDISAN*, 15 (12), 1775.
- Becker, R. O., & Marino, A. A. (2010). *Electromagnetism & life*. Los Angeles: Cassandra publishing.
- Bodamyali, T., Bhatt, B., Hughes, F. J., Winrow, V. R., Kanczler, J. M., Simon, B., y otros. (1998). Pulsed electromagnetic fields simultaneously induce osteogenesis and upregulate transcription of bone morphogenetic proteins 2 and 4 in rat osteoblast in vitro. *Biochem. Biophys. Res. Comm.*, 250, 458-461.
- Braddock, M., Houston, P., Campbell, C., & Ashcroft, P. (2001). Born Again Bone: Tissue Engineering for Bone Repair. *News Physiol. Sci.*, 16, 208-213.
- Burger, E. H., & Klein-Nulend, J. (1999). Mechanotransduction in bone - role of the lacunocanalicular network. *The FASEB Journal*, 13, S101-S112.
- Burger, E. H., Klein-Nulend, J., Van der Plas, A., & Nijweide, P. J. (1995). Function of osteocytes in bone - their role in mechanotransduction. *J. Nutr.*, 125, 2020S-2023S.
- Carrillo, J. M., Sopena, J. J., & Rubio, M. (2013). Estructura del tejido óseo y recuerdo anatómico. In J. M. Carrillo, & M. Rubio, *Manual práctico de traumatología y ortopedia en pequeños animales* (pp. 3-7). Buenos Aires: Inter-Médica.
- Casal, J., & de Antonio, E. M. (1999). *Problemas de epidemiología veterinaria*. Barcelona: Universidad Autónoma de Barcelona.
- Cerrud, S. M., Narváez, M. Y., Muñoz, V., & Schouwenaars, R. (2005). Modelado del comportamiento mecánico del hueso (análisis de los efectos del grado de hidratación). *Ingeniería Mecánica Tecnología y Desarrollo*, 1 (6), 223-232.
- Chang, W. H., Chen, L. T., Sun, J. S., & Lin, F. H. (2004). Effect of pulse-burst electromagnetic field stimulation on osteoblast cell activities. *Bioelectromagnetics*, 25, 457-465.
- Clarke, B. (2008). Normal Bone Anatomy and Physiology. *Clinical Journal of the American Society of Nephrology*, 3, S131-S139.

- Cornaglia, A. I., Casasco, M., Riva, F., Farina, A., Fassina, L., Visai, L., et al. (2006). Stimulation of osteoblast growth by an electromagnetic field in a model of bone-like construct. *European Journal of Histochemistry*, 50 (3), 199-204.
- De Luca, F., Barnes, K. M., Uyeda, J. A., De-Levi, S., Abad, V., Palese, T., et al. (2001). Regulation of growth plate chondrogenesis by bone morphogenetic protein - 2. *Endocrinology*, 142 (1), 430-436.
- Delgado, J. M., Leal, J., Monteagudo, J. L., & García, M. (1982). Embryological changes induced by weak, extremely low frequency electromagnetic fields. *J. Anat.*, 134 (3), 533-551.
- Demay, M. B., Sabbagh, Y., & Carpenter, T. O. (2007). Calcium and vitamin D: What is known about the effects on growing bone. *Pediatrics*, 119 (2), S141-S144.
- Diniz, P., Shomura, K., Soejima , K., & Ito, G. (2002). Effects of pulsed electromagnetic fields (PEMF) stimulation on bone tissue like formation are dependent on the maturation stages of the osteoblast. *Bioelectromagnetics*, 23, 398-405.
- Duarte, V., Torres, G., & Cerrolaza, M. (2011). Comportamiento Piezoelectrónico del hueso utilizando el método de elementos de contorno (MEC). *Mecánica Computacional*, 30, 3395-3402.
- Eichwald , C., & Waliczek, J. (1996). Activation-dependent and biphasic electromagnetic field effects: model based on cooperative enzyme kinetics in cellular signaling. *Bioelectromagnetics*, 17 (6), 427-435.
- Elliot, J. P., Smith, R. L., & Block, C. A. (1988). Time-varying magnetic fields: effects of orientation on chondrocyte proliferation. *Journal of orthopaedic research*, 6 (2), 259-264.
- Frey, A. H. (1990). Electromagnetic field interactions with biological systems. *The FASEB Journal*, 7, 272-281.
- Galkowski, V., Petrisor, B., Drew, B., & Dick, D. (2009). Bone stimulation for fracture healing: What's all the fuss? *Indian J. Orthop*, 43 (2), 117-120.
- Gordon, G. A. (2007). Designed Electromagnetic Pulsed Therapy: Clinical Applications. *Journal of Cellular physiology*, 212, 579-582.

- Grace, K. L. (1998). The effects of pulsed electromagnetism on fresh fracture healing: osteochondral repair in the rat femoral groove. *Orthopedics*, 21 (3), 287-302.
- Guillen, P., Madrigal, J. M., Madroñero, A., Pitillas, J. I., Galvez, J. M., & Llopis, J. (1985). Aplicaciones clínicas de los campos magnéticos. Magnetoterapia y magnetosteogenia. *Rev. Esp. de Cir. Ost.*, 20, 257-279.
- Gürgül, S., Erdal, N., Yilmaz, S. N., Yildiz, A., & Ankarali, H. (2008). Deterioration of bone quality by long-term magnetic field with extremely low frequency in rats. *Bone*, 42, 74-80.
- Habash, R. (2010). *Bioeffects and therapeutic applications of electromagnetic energy*. University of Ottawa, School of Electrical Engineering and Computer Science. Ottawa: CRC press.
- Haddad, J. B., Obolensky, A. G., & Shinnick, P. (2007). The biologic effects and the therapeutic mechanism of action of electric and electromagnetic field stimulation on bone and cartilage: new findings and review of earlier work . *The Journal of Alternative and Complementary Medicine*, 13 (5), 485-490.
- Hauschka, P. V., Mavrakos, A. E., Iafrati, M. D., Doleman, S. E., & Klagsbrun, M. (1986). Growth factors in bone matrix, isolation of multiple types by affinity chromatography on heparine-sepharose. *The Journal of Biological chemistry*, 261 (27), 12665-12674.
- Hawking, S. W. (1989). *Historia del tiempo, del big bang a los agujeros negros*. Bogotá.
- Hawking, S., & Mlodinow, L. (2010). *El gran diseño*. Barcelona: Crítica.
- Heinegard, D., & Oldberg, A. (1989). Structure and biology of cartilage and bone matrix noncollagenous macromolecules. *The FASEB Journal*, 3, 2042-2051.
- Henry, S. L., Concannon, M. J., & Yee, G. J. (2008). The Effect of Magnetic Fields on Wound Healing, Experimental Study and Review of the Literature. *Journal of Plastic Surgery*, 8, 393-399.

- Hinsenkamp , M., & Collard, J. F. (2011). Bone morphogenic protein-mRNA upregulation after exposure to low frequency electric fields . *International Orthopaedics* , 35, 1577-1581.
- Holden, K. R. (2012 йил Spring). Biological effects of pulsed electromagnetic field (PEMF) therapy. *Anti-aging Medical News* , pp. 152-154.
- Hughes, D. E., & Boyce, B. F. (1997). Apoptosis in bone physiology and disease. *J. Clin Pathol* , 50, 132-137.
- Huiskes, R., Weinans, H., Grootenhuis, H., Dalstra, M., Fudala, B., & Slooff, T. (1987). Adaptive bone remodeling theory applied to prosthetic design analysis. *J. Biomechanics* , 20, 1135-1150.
- Iannaccone, W. M., Pienkowski, D., Pollack, S. R., & Brighton , C. T. (1988). Pulsing electromagnetic field stimulation of the in vitro growth plate. *Journal of orthopaedic research* , 6 (2), 239-247.
- Ibiwuye, M. O. (2004). Bone mass is preserved in a critical-sized osteotomy by low energy pulsed electromagnetic fields as quantitated by in vivo micro-computed tomography. *J. Orthop Res.* , 22 (5), 1086-93.
- Jee, W. S. (2000). Principles in bone physiology. *J Musculoskel Neuron Interact* , 1, 11-13.
- Kahanovits, N., Amoczky, S. P., Nemzek , J., & Shores, A. (1994). The effect of electromagnetic pulsing on posterior lumbar spinal fusion in dogs. *Spine* , 19 (6), 705-709.
- Karimian, E., Tamm, C., Chagin, A. S., Samuelsson, K., Kjartansdóttir, K. R., Ohlsson, C., et al. (2013). Resveratrol treatment delays growth plate fusion and improves bone growth in female rabbits. *PLoS ONE* , 8 (6), e67859.
- Lee, R. C., Gowrishankar, T. R., Basch, R. M., Patel, P. K., & Golan, D. E. (1993). Cell shape-dependent rectification of surface receptor transport in a sinusoidal electric field. *Biophys. J.* , 64, 44-57.
- Lovatto, L. (2012 йил 15-Julio). *Kinesiología*. Retrieved 2013 йил 17-Octubre from Magnetoterapia: <http://laura-lovatto.blogspot.com/>.

- Mahram, M., & Ghazavi, M. (2013). The effect of extremely low frequency electromagnetic fields on pregnancy and fetal growth, and developement . *Archives of Iranian Medicine* , 16 (4), 221-224.
- Manolagas, S. C. (2000). Birth and death of bone cells: basic regulatory mechanisms and implications for the pathogenesis and treatment of osteoporosis. *Endocrine Reviews* , 21 (2), 115-137.
- Marino, A. A., & Becker, R. O. (1977). Biological effects of extremely low frequency electric and magnetic fields: a review. *Physiol. Chem. & Physics* , 9, 131-147.
- Markov, M. (2007). Pulsed electromagnetic field therapy history, state of the art and future. *Environmentalist* .
- Massari, L., Caruso, G., Sollazzo, V., & Setti, S. (2009). Pulsed electromagnetic fields and low intensity pulsed ultrasound in bone tissue. *Clinical Cases in Mineral and Bone Metabolism* , 6 (2), 149-154.
- Meyer, R. E., Aldrich, T. E., & Easterly, C. E. (1989). Effects of noise and electromagnetic fields on reproductive outcomes. *Environmental Health Perspectives* , 81, 193-200.
- Midura, R. J., Ibiwoye, M. O., Powell, K. A., Sakai, Y., Doebring, T., Grabiner, M. D., et al. (2005). Pulsed electromagnetic field treatments enhance the healing of fibular osteotomies. *J. Orthop Res.* , 23 (5), 1035-1046.
- Mollon, B., da Silva, V., Busse, J. W., Einhorn, T. A., & Bhandari, M. (2008). Electrical stimulation for long-bone fracture-healing: A meta-analysis of randomized controlled trials. *J. Bone Joint Surg. Am.* , 90, 2322-2330.
- Norton, L. A., Witt, D. W., & Rovetti, L. A. (1988). Pulsed electromagnetic fields alter phenotypic expression in chondroblasts in tissue culture. *Journal of orthopaedic research* , 6 (5), 685-689.
- O'Brien, C. A., Plotkin, L. I., Galli, C., Goellner, J. J., Gortazar, A. R., Allen, M. R., et al. (2008). Control of bone mass and remodeling by PTH receptor signaling in osteocytes. *PLoS ONE* , 3 (8), e2942.

- Oppenheimer, A. J., Tong, L., & Buchman, S. R. (2008). Craniofacial bone grafting: Wolff's law revisited. *Craniomaxillofacial trauma & reconstruction*, 1 (1), 49-61.
- Panagopoulos, D. J., Karabarounis, A., & Margaritis, L. H. (2002). Mechanism for action of electromagnetic fields on cells. *Biochemical and Biophysical Research Communications*, 298, 95-102.
- Patterson, T. E., Sakai, Y., Grabiner, M. D., Ibiwoye, M., Midura, R. J., Zborowski, M., et al. (2006). Exposure of murine cells to pulsed electromagnetic fields rapidly activates the mTOR signaling pathway. *Bioelectromagnetics*, 27, 535-544.
- Pérez, M. M. (2002). Efectos biológicos de campos magnéticos de 50 Hz y 2.45 GHz y su posible sinergismo con la sobrecarga orgánica de hierro y plomo. *Tesis Doctoral*. Madrid, España: Universidad Complutense de Madrid.
- Pickering, S. A., & Scammell, B. E. (2002). Electromagnetic fields for bone healing. *Lower Extremity Wounds*, 1 (3), 152-160.
- Pinna, S., Tribuiani, A. M., Pizzuti, E., & Venturini, A. (2010). PEMF therapy in the treatment of canine osteoarthritis: preliminary results. *Proceedings of the 15th ESVOT Congress* (pp. 679-680). Bologna: IVIS.
- Polk, C. (2000). Therapeutic applications of low frequency sinusoidal and pulsed electric and magnetic fields. In J. D. Bronzino, *The Biomedical Engineering Handbook*. Boca Raton: CRC Press.
- Rubik, B., Becker, R. O., Flowers, R. G., Hazlewood, C. F., Liboff, A. R., & Walleczeck, J. (1993). *Bioelectromagnetics Applications in Medicine*. NIH-OAM.
- Ruff, C., Holt, B., & Trinkaus, E. (2006). Who's afraid of the big bad Wolff? "Wolff's Law" and bone functional adaptation. *American Journal of Physical Anthropology*, 129, 484-498.
- Rumbaut, R. E., & Mirkovic, D. (2008). Magnetic therapy for edema in inflammation: a physiological assessment. *Am J Physiol Heart Circ Physiol*, 294, H19-H20.
- Sagan, C. (1984). *El cerebro de broca, reflexiones sobre el apasionante mundo de la ciencia*. Mexico D.F.: Grijalbo.

- Sagan, C. (2009). *El mundo y sus demonios, la ciencia como una luz en la oscuridad.* Bogotá: Planeta.
- Salgado, A. J., Coutinho, O. P., & Reis, R. L. (2004). Bone tissue engineering: state of the art and future trends. *Macromol. Biosci.*, 4, 743-765.
- Selvamurugan, N., Kwok, S., Vasilov, A., Jefcoat, S. C., & Partridge, N. C. (2007). Effects of BMP-2 and pulsed electromagnetic field (PEMF) on rat primary osteoblastic cell proliferation and gene expression. *Journal of Orthopaedic Research*, 1213-1220.
- Shi, H., Xiong, J., Chen, Y., Wang, J., Qiu, X., Wang, Y., et al. (2013). Early application of pulsed electromagnetic field in the treatment of postoperative delayed union of long-bone fractures: a prospective randomized controlled study. *Musculoskeletal Disorders*, 14 (35), 1-7.
- Simko, M., & Mattsson, M. O. (2004). Extremely low frequency electromagnetic fields as effectors of cellular responses. *Journal of Cellular Biochemistry*, 93, 83-92.
- Smith, D. W., Gardiner, B. S., & Dunstan, C. (2012). Bone balance within a cortical BMU: local controls of bone resorption and formation. *PLoS ONE*, 7 (7), e40268.
- Suckow, M. A., Stevens, K. A., & Wilson, R. P. (2012). *The laboratory rabbit, guinea pig, hamster, and other rodents.* London: Academic Press/Elsevier.
- Suzuki, F., Takase, T., Takigawa, M., Uchida, A., & Shimomura, Y. (1981). Simulation of the initial stage of endochondral ossification: in vitro sequential culture of growth cartilage cells and bone marrow cells. *Proc. Natl. Acad. Sci.*, 78 (4), 2368-2372.
- Talmage, D. W., & Talmage, R. V. (2007). Calcium homeostasis: how bone solubility relates to all aspects of bone physiology. *J Musculoskeletal Neuronal Interact*, 7 (2), 108-112.
- Tanck, E., Homminga, J., Van Lenthe, G. H., & Huiskes, R. (2001). Increase in bone volume fraction precedes architectural adaptation in growing bone. *Bone*, 28 (6), 650-654.

- Thomas, A. W., Graham, K., Prato, F. S., McKay, J., Morley, P., Moulin, D. E., et al. (2007). A randomized, double-blind, placebo-controlled clinical trial using a low-frequency magnetic field in the treatment of musculoskeletal chronic pain. *Pain Res Manage*, 12 (4), 249-257.
- Trock, D. H. (2000). Electromagnetic Fields and Magnets Investigational Treatment for Musculoskeletal Disorders. *Complementary and Alternative Therapies for Rheumatic Diseases II*, 26 (1), 51-62.
- Tsai, C. L., Chang, W. H., Liu, T. K., & Wu, K. H. (1990). Additive effects of prostaglandin E2 and pulsed electromagnetic fields on fracture healing. *The Chinese Journal of Physiology*, 32 (2), 201-211.
- Van Der Eerden, B. C., Karperien, M., & Wit, J. M. (2003). Systemic and local regulation of the growth plate. *Endocrine Reviews*, 24 (6), 782-801.
- Van der Jagt, O. P., Van der Linden, J. C., Waarsing, J. H., Verhaar, J. A., & Weinans, H. (2012). Systemic treatment with pulsed electromagnetic fields do not affect bone microarchitecture in osteoporotic rats. *International Orthopaedics*, 36, 1501-1506.
- Walleczek, J. (1992). Electromagnetic field effects on cells of the immune system: the role of calcium signaling. *The FASEB Journal*, 6, 3177-3185.
- Williams, G. R., Robson, H., & Shalet, S. M. (1998). Thyroid hormone actions on cartilage and bone: interactions with other hormones at the epiphyseal plate and effects on linear growth. *Journal of Endocrinology*, 157, 391-403.
- Zayas, J. D. (2002). La magnetoterapia y su aplicación en la medicina. *Rev Cubana Med Gen Integ*, 18 (1), 60-72.